

Message

---

**From:** rogers, rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BCE033A9EDE7409D944D8AE868394548-RR0GER04]  
**Sent:** 11/28/2017 10:45:42 PM  
**To:** Searfoss, Renee [searfoss.renee@epa.gov]; Rodrigues, Cecil [rodrigues.cecil@epa.gov]  
**CC:** Servidio, Cosmo [servidio.cosmo@epa.gov]; McManus, Catharine [mcmanus.catharine@epa.gov]; Lueckenhoff, Dominique [Lueckenhoff.Dominique@epa.gov]  
**Subject:** RE: Gen X

Here's what I have so far:

# Ex. 5 Deliberative Process (DP)

I will be back when I have more info.

Rick

Rick Rogers, Associate Director  
Office of Drinking Water and Source Water Protection  
Water Protection Division (3WP20)  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103

rogers.rick@epa.gov  
Office: 215.814.5711  
Cell: 215.341.4762

---

**From:** Searfoss, Renee  
**Sent:** Tuesday, November 28, 2017 5:01 PM  
**To:** Rodrigues, Cecil <rodrigues.cecil@epa.gov>  
**Cc:** rogers, rick <rogers.rick@epa.gov>; Servidio, Cosmo <Servidio.Cosmo@epa.gov>; McManus, Catharine <mcmanus.catharine@epa.gov>; Lueckenhoff, Dominique <Lueckenhoff.Dominique@epa.gov>  
**Subject:** Gen X

Hi Cecil,

My apologies for not sending this earlier.

As I mentioned on the phone, Rick is looking into your questions further but I will attempt to address your questions to the best of my ability until Rick fact checks everything.

The WV Washington Works facility is not operating on a permit at the moment. Chemours signed an enforcement order on consent until the permit is amended. The amended permit is still not finished. The order has a limit for acid, not the salt.

Ex. 5 Deliberative Process (DP)

## Ex. 5 Deliberative Process (DP)

I am copying Rick and expect after he speaks with ORD and Region 4 he will provide any additional information or clarification you may need.

Please let us know if you need anything else at this time.

Thank you.

Renee Searfoss  
Executive Assistant  
Office of the Regional Administrator  
215-814-2137  
[Searfoss.renee@epa.gov](mailto:Searfoss.renee@epa.gov)